



Unit 4

HHFA indicator inventory platform: functions



By the end of this unit, you will:

- explain various functions of the platform



Indicator inventory platform functions

1 Inventory version

2 Expand/collapse

3 Filter

4 Metadata





Inventory version



 World Health Organization

HHFA Indicator Inventory

Inventory version

Version 4 (latest version) ▾

Expand / collapse

✓ Tabulation

Listing

Dimensions

Areas

Sub-Areas

Tables

Indicators

Filter

Showing all 2571 indicators

🔍

☐ Filter by module

☐ Does not require census

☐ Requires census

☐ Is Global PHC indicator

☐ Is SARA indicator

☐ Is index indicator

Tabulation Item

Dimension 1.

General service availability

Dimension 2.

General service readiness

Dimension 3.

Service-specific availability and readiness

Dimension 4.

Management and finance support systems

Dimension 5.

Clinical quality of care



Expand/collapse: listing view

**World Health Organization**

HHFA Indicator Inventory

Inventory version
Version 4 (latest version) 

Expand / collapse

Tabulation

✓ Listing

Filter
Showing all 2571 indicators

☐ Filter by module

☐ Does not require census
☐ Requires census
☐ Is Global PHC indicator
☐ Is SARA indicator
☐ Is index indicator

Number	Indicator
1.1.1.1.1.	Number of health facilities per 10,000 population
1.1.1.1.2.	Number of primary care facilities per 10,000 population
1.1.1.1.3.	Number of inpatient beds per 10,000 population
1.1.1.1.4.	Number of maternity beds per 1,000 pregnant women
1.1.2.1.1.	Total number of inpatient beds (adult-sized)
1.1.2.1.2.	Total number of inpatient beds (paediatric-sized)
1.1.2.1.3.	Total number of neonatal cots
1.1.2.2.1.	Number of dedicated maternity beds
1.1.2.2.2.	Number of dedicated surgical beds
1.1.2.2.3.	Number of dedicated psychiatric beds
1.1.2.2.4.	Number of dedicated emergency unit beds
1.1.2.2.5.	Number of dedicated ICU beds
1.1.2.2.6.	Number of dedicated isolation beds



Expand/collapse: tabulation view

 World Health Organization

HHFA Indicator Inventory

Inventory version

Version 4 (latest version) ▾

Expand / collapse

✓ Tabulation

Listing

Dimension

Areas

Sub-Areas

Topics

Indicators

Filter

Showing all 2571 indicators

🔍

☐ Filter by module

☐ Does not require census

☐ Requires census

☐ Is Global PHC indicator

☐ Is SARA indicator

☐ Is index indicator

Tabulation Item

Dimension 1. General service availability

Dimension 2. General service readiness

Dimension 3. Service-specific availability and readiness

Dimension 4. Management and finance support systems

Dimension 5. Clinical quality of care



Expand/collapse: dimensions and areas

 World Health Organization

HHFA Indicator Inventory

Inventory version

Version 4 (latest version) ▾

Expand / collapse

✓ Tabulation

Listing

Dimensions

Areas

Sub-Areas

Tables

Indicators

Filter

Showing all 2571 indicators

Q

☐ Filter by module

☐ Does not require census

☐ Requires census

☐ Is Global PHC indicator

☐ Is SARA indicator

☐ Is index indicator

Tabulation Item

Dimension 1. General service availability

Area 1.1. Health infrastructure

Area 1.2. Health workforce

Area 1.3. Services available

Area 1.4. Index scores

Dimension 2. General service readiness

Area 2.1. Basic amenities

Area 2.2. Basic equipment

Area 2.3. Basic diagnostic capacity (laboratory)

Area 2.4. Essential medicines and commodities

Area 2.5. Standard precautions for infection prevention

Area 2.6. General service readiness index

Area 2.7. Referral systems

Area 2.8. Emergency preparedness and resilience

Dimension 3. Service-specific availability and readiness

Area 3.1. Reproductive, maternal, newborn, child, and adolescent health services



Filter



 World Health Organization

HHFA Indicator Inventory

Inventory version

Version 4 (latest version) ▾

Expand / collapse

✓ Tabulation

Listing

Dimensions

Areas

Sub-Areas

Tables

Indicators

Filter

Showing all 2571 indicators

🔍

☐ Filter by module

☐ Does not require census

☐ Requires census

☐ Is Global PHC indicator

☐ Is SARA indicator

☐ Is index indicator

Tabulation Item

Dimension 1. General service availability

Dimension 2. General service readiness

Dimension 3. Service-specific availability and readiness

Dimension 4. Management and finance support systems

Dimension 5. Clinical quality of care



Filter: typing a term in the search box

 World Health Organization

HHFA Indicator Inventory

Inventory version

Version 4 (latest version) ▾

Expand / collapse

✓ Tabulation

Listing

Dimensions

Areas

Sub-Areas

Tables

Indicators

Filter

Showing 219 of 2571 indicators

HIV

☐ Does not require census

☐ Requires census

☐ Is Global PHC indicator

☐ Is SARA indicator

☐ Is Index indicator

Tabulation Item

Dimension 1. General service availability

Area 1.3. Services available

Sub-Area 1.3.2. Availability of specific services (use only when not implementing readiness module)

Table 1.3.2.3. Communicable diseases

Indicator 1.3.2.3.2. Percentage of facilities offering any services for human immunodeficiency virus (HIV) diagnosis and treatment

Indicator 1.3.2.3.3. Percentage of facilities offering HIV testing

Indicator 1.3.2.3.4. Percentage of facilities offering HIV care and support

Indicator 1.3.2.3.5. Percentage of facilities offering antiretroviral therapy (ART) for life-long HIV treatment

Indicator 1.3.2.3.6. Percentage of facilities offering any paediatric HIV services

Sub-Area 1.3.3. Availability of technologies and procedures (use only when not implementing readiness module)

Table 1.3.3.3. Laboratory diagnostic tests

Indicator 1.3.3.3.5. Percentage of facilities offering HIV diagnostic testing

Dimension 2. General service readiness

Area 2.3. Basic diagnostic capacity (laboratory)

Sub-Area 2.3.1. Basic diagnostic capacity

Table 2.3.1.1. Basic diagnostic capacity

Indicator 2.3.1.1.9. Percentage of facilities with capacity to conduct onsite HIV diagnostic testing



Filter: typing an indicator ID in the search box

 World Health Organization

HHFA Indicator Inventory

Inventory version

Version 4 (latest version) ▾

Expand / collapse

✓ Tabulation

Listing

Dimensions

Areas

Sub-Areas

Tables

Indicators

Filter

Showing 1 of 2571 indicators

AVR

×

🔍

☐ by module

☐ Does not require census

☐ Requires census

☐ Is Global PHC indicator

☐ Is SARA indicator

☐ Is index indicator

Tabulation Item


Dimension 3. Service-specific availability and readiness

Area 3.1. Reproductive, maternal, newborn, child, and adolescent health services

Sub-Area 3.1.1. Family planning

Table 3.1.1.1. Family planning service availability

Indicator 3.1.1.1.1. Percentage of facilities offering any family planning services





Filter: green filter box

☒ Filter by module

☒ Service availability

☒ Core

☐ Core + additional

☐ Building infrastructure [supplementary]

☒ Service readiness

☒ Core

☒ Management and finance

☒ Core

☐ Core + additional

☒ Quality of care

☒ Record review [supplementary]

 World Health Organization

HHFA Indicator Inventory

Inventory version

Version 4 (latest version) ▾

Expand / collapse

☒ Tabulation

Listing

Dimensions

Areas

Sub-Areas

Tables

Indicators

Filter

Showing all 2571 indicators



☐ Filter by module

☐ Does not require census

☐ Requires census

☐ Is Global PHC indicator

☐ Is SARA indicator

☐ Is index indicator

Tabulation Item

Dimension 1. General service availability

Dimension 2. General service readiness

Dimension 3. Service-specific availability and readiness

Dimension 4. Management and finance support systems

Dimension 5. Clinical quality of care





Filter: green filter box

 World Health Organization

HHFA Indicator Inventory

Inventory version

Version 4 (latest version) ▾

Expand / collapse

✓ Tabulation

Listing

Dimensions

Areas

Sub-Areas

Tables

Indicators

Filter

Showing 1659 of 2571 indicators

🔍

☒ Filter by module

☐ Service availability

Core

Core + additional

Building infrastructure [supplementary]

☒ Service readiness

Core

☐ Management and finance

Core

Core + additional

☐ Quality of care

Record review [supplementary]

Tabulation Item

Area 3.3. Noncommunicable diseases

Sub-Area 3.3.1. Cardiovascular disease

Table 3.3.1.1. Cardiovascular disease service availability

Indicator 3.3.1.1.1. Percentage of facilities offering any services for cardiovascular diseases

Indicator 3.3.1.1.2. Percentage of facilities offering hypertension diagnosis, treatment and selfcare counseling

Indicator 3.3.1.1.3. Percentage of facilities offering hypertension diagnosis only

Indicator 3.3.1.1.4. Percentage of facilities offering hypertension treatment and selfcare counseling only

Indicator 3.3.1.1.5. Percentage of facilities offering congestive heart failure diagnosis, treatment and selfcare counseling

Indicator 3.3.1.1.6. Percentage of facilities offering congestive heart failure diagnosis only

Indicator 3.3.1.1.7. Percentage of facilities offering congestive heart failure treatment and selfcare counseling only

Indicator 3.3.1.1.8. Percentage of facilities offering acute myocardial infarction diagnosis, treatment and selfcare counseling

Indicator 3.3.1.1.9. Percentage of facilities offering acute myocardial infarction diagnosis only

Indicator 3.3.1.1.10. Percentage of facilities offering acute myocardial infarction treatment and selfcare counseling

Indicator 3.3.1.1.11. Percentage of facilities offering stroke diagnosis, treatment and selfcare counseling

Indicator 3.3.1.1.12. Percentage of facilities offering stroke diagnosis only

Indicator 3.3.1.1.13. Percentage of facilities offering stroke treatment and selfcare counseling only

Table 3.3.1.2. Cardiovascular disease service readiness

Indicator 3.3.1.2.1. Percentage of facilities offering CVD services with guidelines for CVD diagnosis and management

Indicator 3.3.1.2.2. Percentage of facilities offering CVD services with staff trained in CVD diagnosis and management

Indicator 3.3.1.2.3. Percentage of facilities offering CVD services with blood pressure apparatus

Indicator 3.3.1.2.4. Percentage of facilities offering CVD services with stethoscope

Indicator 3.3.1.2.5. Percentage of facilities offering CVD services with adult weighing scale



Filter: yellow filter box

 World Health Organization

HHFA Indicator Inventory

Inventory version

Version 4 (latest version) ▾

Expand / collapse

✓ Tabulation

Listing

Dimensions

Areas

Sub-Areas

Tables

Indicators

Filter

Showing all 2571 indicators

🔍

☐ Filter by module

☐ Does not require census

☐ Requires census

☐ Is Global PHC indicator

☐ Is SARA indicator

☐ Is index indicator

Tabulation Item

Dimension 1. General service availability

Dimension 2. General service readiness

Dimension 3. Service-specific availability and readiness

Dimension 4. Management and finance support systems

Dimension 5. Clinical quality of care



Filter: yellow filter box

 World Health Organization

HHFA Indicator Inventory

Inventory version

Version 4 (latest version) ▾

Expand / collapse

✓ Tabulation

Listing

Dimensions

Areas

Sub-Areas

Tables

Indicators

Filter

Showing 6 of 2571 indicators

☐ Filter by module

☐ Does not require census

☒ Requires census

☐ Is Global PHC indicator

☒ Is SARA indicator

☐ Is index indicator

Tabulation Item

Dimension 1. General service availability

Area 1.1. Health infrastructure

Sub-Area 1.1.1. Health infrastructure density

Table 1.1.1.1. Health infrastructure density

Indicator 1.1.1.1.1. Number of health facilities per 10,000 population

Indicator 1.1.1.1.3. Number of inpatient beds per 10,000 population

Indicator 1.1.1.1.4. Number of maternity beds per 1,000 pregnant women

Area 1.4. Index scores

Sub-Area 1.4.1. Index scores

Table 1.4.1.1. Index scores

Indicator 1.4.1.1.1. Health facility density score

Indicator 1.4.1.1.2. Inpatient bed density score

Indicator 1.4.1.1.3. Maternity bed density score



Metadata

or Inventory					About	Instructions	Download	HHFA Tools	▼
Tabulation Item					Metadata				
Sub-Area 3.2.9. Sexually transmitted infections					▼				
Table 3.2.9.1. Sexually-transmitted infection availability					3 indicators				
Table 3.2.9.2. Sexually transmitted infection service readiness					▼				
Indicator 3.2.9.2.1.	Percentage of facilities offering STI services with guidelines for STI diagnosis and treatment				Readiness: Core	Staff and guidelines	SARA	PHC	
Indicator 3.2.9.2.2.	Percentage of facilities offering STI services with staff trained in STI diagnosis and treatment				Readiness: Core	Staff and guidelines	SARA	PHC	
Indicator 3.2.9.2.3.	Percentage of facilities offering STI services with all items for syphilis test				Readiness: Core	Diagnostics	SARA	PHC	
Indicator 3.2.9.2.4.	Percentage of facilities offering STI services with all items for gram stain microscopy				Readiness: Core	Diagnostics		PHC	
Indicator 3.2.9.2.5.	Percentage of facilities offering STI services with all items for wet mount microscopy				Readiness: Core	Diagnostics		PHC	
Indicator 3.2.9.2.6.	Percentage of facilities offering STI services with all items for human papilloma virus (HPV) test				Readiness: Core	Diagnostics		PHC	
Indicator 3.2.9.2.7.	Percentage of facilities offering STI services with procaine or benzathine penicillin injectable				Readiness: Core	Medicines and commodities		PHC	
Indicator 3.2.9.2.8.	Percentage of facilities offering STI services with ceftriaxone injectable				Readiness: Core	Medicines and commodities		PHC	
Indicator 3.2.9.2.9.	Percentage of facilities offering STI services with metronidazole cap/tab				Readiness: Core	Medicines and commodities	SARA	PHC	
Indicator 3.2.9.2.10.	Percentage of facilities offering STI services with cefixime cap/tab				Readiness: Core	Medicines and commodities		PHC	
Indicator 3.2.9.2.11.	Percentage of facilities offering STI services with azithromycin tab/cap or suspension				Readiness: Core	Medicines and commodities		PHC	
Indicator 3.2.9.2.12.	Percentage of facilities offering STI services with male condoms				Readiness: Core	Medicines and commodities		PHC	
Indicator 3.2.9.2.13.	Percentage of facilities offering STI services with female condoms				Readiness: Core	Medicines and commodities		PHC	
Indicator 3.2.9.2.14.	Sexually transmitted infection service readiness: mean percentage of staff and guidelines items at facilities				Readiness: Core	Staff and guidelines	SARA	PHC	Index
Indicator 3.2.9.2.15.	Sexually transmitted infection service readiness: mean percentage of diagnostics items at facilities				Readiness: Core	Diagnostics	SARA (partial)	PHC	Index
Indicator 3.2.9.2.16.	Sexually transmitted infection service readiness: mean percentage of medicines and commodities items at facilities				Readiness: Core	Medicines and commodities	SARA (partial)	PHC	Index



Summary

- The indicator inventory is periodically updated – a **versioning system** allows countries to access the appropriate version
- Tabs under **expand/collapse** display the inventory platform content by organization level
- The platform allows for different **filter** options via a search box or check boxes
- When individually displayed, each indicator shows different kinds of **information tags** about the module, domain, and other attributes



You have now completed Unit 4.

In the next unit, we will look linkages between HHFA questions and indicators.

First, try the practice exercise.